

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	68	(template\$1 or table\$1) with experiment\$3 with (((probe or micro) near2 array) or microarray)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 15:21
L2	85	(template\$1 or table\$1) with experiment\$3 with (((probe or micro) near2 array) or microarray)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 15:22
L3	1	((template\$1 or table\$1) with experiment\$3 with (((probe or micro) near2 array) or microarray)) same (generat\$3 or creat\$3) same (id or identifier\$1) same attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 15:23
L4	2	(template\$1 or table\$1) same experiment\$3 same (((probe or micro) near2 array) or microarray) same (generat\$3 or creat\$3) same (id or identifier\$1) same attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 15:25
L5	7791	(creat\$3 or generat\$3) with (experiment\$3 or test\$3) with (template\$1 or table\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 15:26
L6	0	((creat\$3 or generat\$3) with (experiment\$3 or test\$3) with (template\$1 or table\$1)) same (defin\$3 with (id or identifier\$1) with attribute\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 15:27
L7	1	((creat\$3 or generat\$3) with (experiment\$3 or test\$3) with (template\$1 or table\$1)) same (id or identifier\$1) same attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 15:31
L8	2	((creat\$3 or generat\$3) with (experiment\$3 or test\$3) with (template\$1 or table\$1 or database)) same (id or identifier\$1) same attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 15:33
L9	423	((creat\$3 or generat\$3) with (experiment\$3 or test\$3) with (template\$1 or table\$1 or database)) and ((probe near2 array) or microarray)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 15:34

## EAST Search History

L10	43	((creat\$3 or generat\$3) with (experiment\$3 or test\$3) with (template\$1 or table\$1 or database)) same((probe near2 array) or microarray)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 15:34
L11	2	((creat\$3 or generat\$3) with (experiment\$3 or test\$3) with (template\$1 or table\$1 or database)) same((probe near2 array) or microarray) same attribute\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 15:37
L12	43	((creat\$3 or generat\$3) with (experiment\$3 or test\$3) with (template\$1 or table\$1 or database)) same((probe near2 array) or microarray)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 16:01
L13	9	12 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 15:54
L14	0	12 and "707"/100.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 15:54
L15	0	12 and "707"/200.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 15:54
L16	0	((creat\$3 or generat\$3) with (experiment\$3 or test\$3) with (template\$1 or table\$1 or database)) same((probe near2 array) or microarray) same ((pop\$3 near2 up) or (drop\$4 near2 down))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 16:02
L17	5	((creat\$3 or generat\$3) with (experiment\$3 or test\$3) with (template\$1 or table\$1 or database)) and ((probe near2 array) or microarray) and ((pop\$3 near2 up) or (drop\$4 near2 down))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/10 16:02